



DORMA **XL - C**TM

New Contract Range




AFFORDABLE

ACCESSIBLE

RELIABLE

SAFE

FUNCTIONAL



High Technology
Low Maintenance
User Friendly
Value for Money

Door Hardware

Door Closer - Surface Mounted	1
Door Closer - Concealed	2
Floor Spring	3
Lever Handle	4
Locks (Regular)	5
Locks (Compact)	6
Narrow Stile Door Hardware	7
Hook Lock Package	8
Euro Profile Cylinder & WC indicator	9
Knob Lock	10
Pull Handle	11
Hinge	12
Door Accessories	13

Glass


Glass Door Package	14
Glass Door Accessories	15 - 17
Internal Glass Door Package - 1	18
Internal Glass Door Package - 2	19
Shower Fittings	20 - 21
Shower Seals and Accessories	22
Sliding Gear (Wooden Door Application)	23
Sliding Gear (Glass Door Application - without fixed panel)	24
Sliding Gear (Glass Door Application - with fixed panel)	25
Sliding Shower System	26
Sliding / Folding (Wooden Door Application)	27 - 28
HSW (Horizontal Sliding Wall)	29
FSW (Folding Sliding Wall)	30
Accessories for Sliding Systems	31

Automatic Doors

Automatic Sliding Door Operator	32
Automatic Swing Door Operator	33

Spider Fittings


Level - II Spider Fittings	34 - 35
----------------------------	---------



Door Closer surface mounted, EN 3

Finish : Silver
Width of door : 950mm
Weight of door : 60 kgs
Adjustable Closing & Latching speed


Ordering Code : XL-C 1001
Reference Code : 9127346



Door Closer surface mounted, EN 2/3/4

Finish : Silver
Width of door : 1100mm
Weight of door : 80 kgs
Adjustable Closing & Latching speed


Ordering Code : XL-C 1002
Reference Code : 9127347



Door Closer surface mounted, EN 2/3/4

Finish : Silver
Width of door : 1100mm
Weight of door : 80 kgs
Adjustable Closing & Latching speed

Ordering Code : XL-C 1003
Reference Code : 9127308




Door Closer surface mounted, EN 3-6

Finish : Silver
Width of door : 1400mm
Weight of door : 120 kgs
Adjustable spring strength closing &
Latching speed

Ordering Code : XL-C 1004
Reference Code : 9127309

Door Closer
(Surface Mounted)

**Door Closer concealed, EN 2**

Finish : Silver


Width of door : 850mm

Weight of door : 40 kgs

Adjustable Closing & Latching speed

Ordering Code : XL-C 1005

Reference Code : 9127310

**Door Closer concealed, EN 3**

Finish : Silver

Width of door : 950mm

Weight of door : 60 kgs


Adjustable hold open

Adjustable Closing & Latching speed

Ordering Code : XL-C 1006

Reference Code : 9127311

Door Closer
(Concealed)



**Floor spring with 90° Hold open (EN 4)
(for Glass Door)**

Finish : SSS

Width of door : 1100 mm


Weight of door : 100 kgs

Adjustable Sweep speed & Closing speed

Ordering Code : XL-C 1007

Reference Code : 9127348

Wooden & Aluminium Door Accessories - Top Centre



Wooden Door

Ordering Code : XL-C 1008 A


Reference Code : 9127349

Aluminium Door

Ordering Code : XL-C 1010 A

Reference Code : 9127312

Wood Door Accessories - Bottom Strap




Ordering Code : XL-C 1009 A

Reference Code : 9127350

Floor Spring

Aluminium Door Accessories - Bottom Strap




Ordering Code : XL-C 1011 A


Reference Code : 9127313

DORMA's stainless steel Tubular lever handles come in 3 different designs with complete fixing accessories, including escutcheons and roses and are designed for secure through-bolt fixings. The clip-on cover plates conceal the through-bolt fixings and spindle bushing, thereby ensuring a neat and elegant appearance of the installed lever handles.


Lever Handle options - Regular style



Ordering Code : XL-C 2001-D1
Reference Code : 9127314




Ordering Code : XL-C 2002-D2
Reference Code : 9127315



Ordering Code : XL-C 2003-D3
Reference Code : 9127316

Lever Handle

Sash Lock




Forend width - 20mm
Backset - 55mm
Centre - 72mm

Forend Finish : Satin Stainless Steel

Ordering Code : XL-C 2004 C-72

Reference Code : 9127339

WC Lock




Forend width - 20mm
Backset - 55mm
Centre - 78mm

Forend Finish : Satin Stainless Steel

Ordering Code : XL-C 2005 C-78

Reference Code : 9127318

Dead Lock




Forend width - 20mm
Backset - 55mm

Forend Finish : Satin Stainless Steel

Ordering Code : XL-C 2015

Reference Code : 9127326

Lock
(Regular)


Sash Lock

Forend width - 20mm
Backset - 57mm
Centre - 61mm

Forend Finish : Satin Stainless Steel

Ordering Code : XL-C 2007 C-61

Reference Code : 9127317


WC Lock

Forend width - 20mm
Backset - 57mm
Centre - 57mm

Forend Finish : Satin Stainless Steel

Ordering Code : XL-C 2008 C-61

Reference Code : 9127370

Dead Lock

Forend width - 20mm
Backset - 55mm


Forend Finish : Satin Stainless Steel

Ordering Code : XL-C 2016

Reference Code : 9120855

Lock
(Compact)

Lever Handle Package



Lever Handle Package Consist of


- 1) TH 126FT Series Lever Handle
- 2) Narrow Stile Sash Lock with 25mm Back Set, 20 mm forend, CTC 72mm and Strike plate
- 3) Euro Profile Cylinder with both side key of length 60mm

Ordering Code : XL-C 2013-D4

Reference Code : 9127367

Narrow Stile Door Hardware

Dead Lock




Dead Lock Consist of


- 1) Narrow Stile Dead Lock with 25mm Back Set, 20 mm forend and Strike plate
- 2) Oval Escutcheon

Ordering Code : XL-C 2017


Reference Code : 9127342

**Hook Lock Package Consist of**

- 1) Hook Lock with 30mm Back Set, 15mm forend and Strike plate
- 2) Euro Profile Cylinder with both side key operation of length 60mm
- 3) Oval Escutcheon

**Ordering Code : XL-C 2014****Reference Code : 9127325****Hook lock
Package**
(Sliding Doors)


Euro Profile Cylinder



5 pin EPC one side knob and other side key
Length = 60mm, 3 keys SNP -NMK

Ordering Code : XL-C 2011-A


Reference Code : 9127320



5 pin EPC both side key
Length = 60mm, 3 keys SNP -NMK

Ordering Code : XL-C 2010-A

Reference Code : 9127319




5 pin WC EPC one side knob and other side emergency release slot
Length = 60mm, 3 keys SNP -NMK

Ordering Code : XL-C 2012-A

Reference Code : 9127321

WC Indicator


Euro Profile Cylinder (EPC) & WC Indicator



WC Indicator with internal thumb turn &
external emergency release slot


Ordering Code : XL-C 2012-B

Reference Code : 9127322




Entrance

Function:
Internal Push Button and
external key operation
Finish : SSS




Privacy


Function:
Internal Push Button and
external emergency release slot.
Finish : SSS



Passage

Function:
Active knobs on both sides.
Finish : SSS

KS Model	Function	Finish	Ordering Code	Ref. Code
	Entrance	SSS	XL-C 2020 S	9127352
		PB	XL-C 2020 B	9127357
	Privacy	SSS	XL-C 2021 S	9127353
		PB	XL-C 2021 B	9127358
	Passage	SSS	XL-C 2022 S	9127323
		PB	XL-C 2022 B	9127359

KB Model	Function	Finish	Ordering Code	Ref. Code
	Entrance	SSS	XL-C 2023 S	9127360
		PB	XL-C 2023 B	9127361
	Privacy	SSS	XL-C 2024 S	9127362
		PB	XL-C 2024 B	9127363
	Passage	SSS	XL-C 2025 S	9127364
		PB	XL-C 2025 B	9127365

Knob Lock

D - Type



Size : 150 mm x 19 mm

Grade : SS 304

Finish : SSS

Ordering Code : XL-C 3001 A

Reference Code : 9127324

Size : 300 mm x 22 mm

Grade : SS 304

Finish : SSS

Ordering Code : XL-C 3002 A

Reference Code : 9127354

H - Type



Size : 450 mm x 25 mm (CTC 350mm)

Grade : SS 304

Finish : SSS

Ordering Code : XL-C 3003 A

Reference Code : 9127327

Size : 600 mm x 30 mm (CTC 500mm)

Grade : SS 304


Finish : SSS

Ordering Code : XL-C 3004 A

Reference Code : 9127328


Pull Handle

* Maximum door thickness 40mm



Description	Size	Ordering Code	Reference Code
5 Knuckle, 4 Ball bearing Grade SS 304 Finish SSS	5"x3.5"x3mm	XL-C 3005 A	9127375
5 Knuckle, 2 Ball bearing butt hinge Grade SS 304 Finish SSS	5"x3.5"x3mm	XL-C 3006 A	9127376
5 Knuckle, 2 Ball bearing butt hinge Grade SS 304 Finish SSS	4.5"x4"x3mm	XL-C 3007 A	9127377
5 Knuckle, 2 Ball bearing butt hinge Grade SS 304 Finish SSS	4"x4"x3mm	XL-C 3008 A	9127378
5 Knuckle, 2 Ball bearing butt hinge Grade SS 304 Finish SSS	4"x3"x3mm	XL-C 3009 A	9127329
5 Knuckle, 2 Ball bearing butt hinge Grade SS 304 Finish SSS	4"x3"x2.5mm	XL-C 3010 A	9127379
5 Knuckle, without Ball bearing butt hinge Grade SS 304 Finish SSS	4"x3"x2.5mm	XL-C 3011 A	9127380
5 Knuckle, without Ball bearing butt hinge Grade SS 304 Finish SSS	4"x3"x2mm	XL-C 3012 A	9127381

Hinge




Manual flush bolt for
Wooden door
W-20mm, L-172mm

Ordering Code : XL-C 3013 A
Reference Code : 9127307




OVAL Flush Pull
78 x 22mm - SSS

Ordering Code : XL-C 3014 A
Reference Code : 9127333



Eye viewer with flap


Ordering Code : XL-C 3015 A
Reference Code : 9127334



Spring loaded
security door chain

Ordering Code : XL-C 3019 A
Reference Code : 9127338


Door Accessories



Half Dome (45mm)
Floor mounted door stop
Finish : SSS

Ordering Code : XL-C 3017 A
Reference Code : 9127336

Glass Door Package (without Lock)



Glass Door Package (without Lock) consist of

- | | | |
|-------------------------|---|-------|
| 1. Top Pivot | - | 1 No. |
| 2. Top Patch fitting | - | 1 No. |
| 3. Bottom Patch fitting | - | 1 No. |
| 4. Floor Spring (EN4) | - | 1 No. |

(Pull Handle & Corner Lock not included)


Maximum Door Width - 1100 mm

Maximum Door Weight - 80 Kgs

Ordering Code : XL-C 4000

Reference Code : 9137527

Glass Door Package (with Lock)



Glass Door Package consist of

- | | | |
|-------------------------|---|-------|
| 1. Top Pivot | - | 1 No. |
| 2. Top Patch fitting | - | 1 No. |
| 3. Bottom Patch fitting | - | 1 No. |
| 4. Corner Lock with EPC | - | 1 No. |
| & floor strike | - | 1 No. |
| 5. Floor Spring (EN4) | - | 1 No. |

(Pull Handle not included)

Maximum Door Width - 1100 mm


Maximum Door Weight - 80 Kgs

Ordering Code : XL-C 4001


Reference Code : 9137809

Glass Door Packages


Corner Lock with EPC and strike plate




Ordering Code : XL-C 4011A
Reference Code : 9137528




Fanlight patch for wall fixing




Ordering Code : XL-C 4002A
Reference Code : 9137502



Patch fitting for overpanel and sidelight




Ordering Code : XL-C 4003A
Reference Code : 9137503




Glass Door Accessories


Patch fitting for Overpanel & Sidelight
without pivot insert




Ordering Code : XL-C 4004A
Reference Code : 9137506




Patch fitting for overpanel and sidelight
with pivot and Fin (LH/RH)




Ordering Code : XL-C 4005A
Reference Code : 9137529



Central Connector




Ordering Code : XL-C 4006A
Reference Code : 9137504




**Glass Door
Accessories**

Corner Connector




Ordering Code : XL-C 4007A

Reference Code : 9137523




Side Connector




Ordering Code : XL-C 4008A

Reference Code : 9137515




Quadruple Connector





Ordering Code : XL-C 4009A


Reference Code : 9137524



Glass Door Accessories





- Locks prepared for handles without roses, only latch function, handle in front, prepared for EPC
- Hinges inclusive sleeve (2 nos)
- Lever handles
- Angled strike plate
- Frame pivot, Screw on type
- EPC




Ordering Code : XL-C 301
Ref. Code : 9138067
Finish : Aluminum Silver (101)

Ordering Code : XL-C 302
Ref. Code : 9138068
Finish : Aluminum SSS* (107)

**Internal
Glass Door
Package-1**




- Locks prepared for handles without roses, only latch function, handle in front, prepared for EPC
- Hinges inclusive sleeve (2 nos)
- Lever handles
- Angled strike plate
- Frame pivot, screw - ON TYPE
- EPC



**Internal
Glass Door
Package-2**


Ordering Code : XL-C 303
Ref. Code : 9138069
Finish : Aluminum Silver (101)

Ordering Code : XL-C 304
Ref. Code : 9138070
Finish : Aluminum SSS* (107)

Glass to wall Hinge


Ordering Code : XL-C 5001

Reference Code : 9138022

Glass to wall Bracket (Big)


Ordering Code : XL-C 5002

Reference Code : 9138027

Glass / Glass Hinge 90°

Ordering Code : XL-C 5003

Reference Code : 9138023


Glass / Glass Bracket 90°

Ordering Code : XL-C 5017

Reference Code : 9138039

**Shower
Fittings**


Glass /Glass Hinge 180°



Ordering Code : XL-C 5004

Reference Code : 9138024


Glass / Glass Hinge 135°



Ordering Code : XL-C 5005


Reference Code : 9138026

G/W Bracket 90° (small)




Ordering Code : XL-C 5006

Reference Code : 9131702




Water disperser
8-10mm glass L=2000 mm

Ordering Code : XL-C 5007
Ref. Code : 9138028




Wall Seal
8-10mm glass L=2000 mm

Ordering Code : XL-C 5008
Ref. Code : 9138029




Soft nose seal
8-10mm glass 2000 long.

Ordering Code : XL-C 5009
Ref. Code : 9138030




Mid seal
8-10mm glass L = 2000mm

Ordering Code : XL-C 5010
Ref. Code : 9138031




Middle Seal
135° 8-10mm glass 2000 long.

Ordering Code : XL-C 5011
Ref. Code : 9138032




Magnetic seal
90° 8-10mm glass L=2000mm

Ordering Code : XL-C 5012
Ref. Code : 9138033




Magnetic seal
180° 8-10mm glass L=2000mm

Ordering Code : XL-C 5013
Ref. Code : 9138034




Magnetic seal
135° 8-10mm glass L=2000mm

Ordering Code : XL-C 5014
Ref. Code : 9138035



Towel Rod Cum Handle
458mm x 200mm x 19mm



Ordering Code : XL-C-5015A
Ref. Code : 9138036



Inline Support Bar with two wall
clamps and one glass clamp

Ordering Code : XL-C-5016A
Ref. Code : 9138037

Shower Seals & Accessories



Standard Wooden Sliding Door

- Max 80 kg/Shutter
- 30 - 32mm Shutter Thickness for Wall Mounting
- 30 - 34mm Shutter Thickness for Ceiling Mounting
- Standard duty ball bearing Four Rollers / Clamp
- Heavy duty Track at 2 & 3Mtrs
- Hook Lock for Wooden Sliding (Optional)
- Flush Pull / Handle (Optional)

Ordering Code : XL-C 7001 2M-WA80

Reference Code : 9137544

Kit contains 2 mtr Track with clamping accessories, two standard rollers with end stopper and Door guide.

Ordering Code : XL-C 7002 3M-WA80

Reference Code : 9137545

Kit contains 3 mtr Track with clamping accessories, two standard rollers with end stopper and Door guide.

Heavy Duty Wooden Sliding Door

- Max 120 kg/Shutter
- 30 - 32mm Shutter Thickness for Wall Mounting
- 30 - 45mm Shutter Thickness for Ceiling Mounting
- Heavy duty ball bearing Four Rollers / Clamp
- Heavy duty Track at 2 & 3Mtrs
- Hook Lock for Wooden Sliding (Optional)
- Flush Pull / Handle (Optional)

Ordering Code : XL-C 7003 2M-WA120

Reference Code : 9137546


Kit contains 2 mtr Track with clamping accessories, two heavy duty rollers with end stopper and Door guide.

Ordering Code : XL-C 7004 3M-WA120

Reference Code : 9137547


Kit contains 3 mtr Track with clamping accessories, two heavy duty rollers with end stopper and Door guide.

SLIDING GEAR
(Wooden Door
Application)



Standard Glass Sliding Door

- Max 60 - 70 kg/Leaf
- 8 & 10mm Glass Thickness
- Standard duty ball bearing Four Rollers / Clamp
- Heavy duty Track at 2 & 3Mtrs
- Hook Lock for Glass Sliding (Optional)
- Flush Pull (Optional)



Ordering Code : XL-C 7005 2M-GL80

Reference Code : 9137548

Kit contains 2 mtr Track with clamping accessories, two standard rollers with end stopper and Door guide.


Ordering Code : XL-C 7006 3M-GL80

Reference Code : 9137549

Kit contains 3 mtr Track with clamping accessories, two standard rollers with end stopper and Door guide.

Heavy Duty Glass Sliding Door

- Max 120 kg/Leaf
- 8 & 10mm Glass Thickness
- Heavy duty ball bearing Four Rollers / Clamp
- Heavy duty Track at 2 & 3 Mtrs
- Hook Lock for Glass Sliding (Optional)
- Flush Pull (Optional)



Ordering Code : XL-C 7007 2M-GL120

Reference Code : 9137550


Kit contains 2 mtr Track with clamping accessories, two heavy duty rollers with end stopper and Door guide.

Ordering Code : XL-C 7008 3M-GL120


Reference Code : 9137551

Kit contains 2 mtr Track with clamping accessories, two heavy duty rollers with end stopper and Door guide.

SLIDING GEAR
Glass Door Application
(without fixed panel)



Standard Glass Sliding Door with fixed panel provision



- Max 60 - 70 kg/Leaf
- 8 & 10mm Glass Thickness
- Provision in Track for Fixed Glass
- Standard duty ball bearing Four Rollers / Clamp
- Heavy duty Track at 2 & 3Mtrs
- Bottom Channel for Fixed Glass (Optional)
- Hook Lock for Glass Sliding (Optional)
- Flush Pull (Optional)

Ordering Code : XL-C 7009 2M-GLF80

Reference Code : 9137552


Kit contains 2 mtr fixed glass track with screws, two standard rollers with end stopper and Glass door guide.

Ordering Code : XL-C 7010 3M-GLF80

Reference Code : 9137553

Kit contains 3 mtr fixed glass track with screws, two standard rollers with end stopper and Glass door guide.

Heavy Duty Glass Sliding Door



- Max 120 kg/Leaf
- 8 & 10mm Glass Thickness
- Heavy duty ball bearing Four Rollers / Clamp
- Heavy duty Track at 2 & 3 Mtrs
- Hook Lock for Glass Sliding (Optional)
- Flush Pull (Optional)

Ordering Code : XL-C 7011 3M-GLF120

Reference Code : 9137554

Kit contains 2 mtr fixed glass track with screws, two heavy duty rollers with end stopper and Glass door guide.



Ordering Code : XL-C 7012 3M-GLF120

Reference Code : 9137555

Kit contains 3 mtr fixed glass track with screws, two heavy duty rollers with end stopper and Glass door guide.

SLIDING GEAR

Glass Door Application
(with fixed panel)





Sliding Shower System

- Max 60 - 70 kg/Leaf
- Max Door size 750mm
- Max Height 2Meters
- 8mm Glass Thickness
- Provision in Track for Fixed Glass
- Standard duty ball bearing Four Rollers / Clamp
- Track Length Max. 1.6 Mtrs.
- Available in polished chrome finish
- Available in powder coated finish

Ordering Code : XL-C 7013 2M-GLSA60


Reference Code : 9137556

**Sliding
Shower System**



Standard wooden Sliding folding - SF1

- Max 80 kg/System
- 30 - 34mm Shutter Thickness
- Standard duty ball bearing Four Rollers / Clamp
- Butt Hinges (Optional) Ref: Spec
- Heavy duty Track
- Bottom Channel (Optional)
- Hook Lock for Wooden Sliding (Optional)
- Handle (Optional)




Ordering Code : XL-C 7014 3M-SFW80

Reference Code : 9137559

Kit contains 3 mtr track with screws,
standard pivot clamps with two wheel
roller and single wheel bottom guide

Heavy Duty Wooden Sliding folding SF1

- Max 120 kg/System
- 30 - 34mm Shutter Thickness
- Heavy duty ball bearing Four Rollers / Clamp
- Butt Hinges (Optional) Ref: Spec
- Heavy duty Track
- Bottom Channel (Optional)
- Hook Lock for Wooden Sliding (Optional)
- Handle (Optional)




Ordering Code : XL-C 7014 3M-SFW120

Reference Code : 9137560


Kit contains 3 mtr track with screws,
heavy duty pivot clamps with two wheel
roller and double wheel bottom guide

**Sliding / Folding
Wooden Door
Application**



Standard wooden Sliding folding - SF3

- Max 80 kg/System
- 30 - 34mm Shutter Thickness
- Standard duty bearing Four Rollers / Clamp
- Butt Hinges (Optional) Ref: Spec
- Heavy duty Track
- Bottom Channel (Optional)
- Hook Lock for Wooden Sliding (Optional)
- Handle (Optional)




Ordering Code : XL-C 7016 3M-SFW80

Reference Code : 9137562

Kit contains 3 mtr track with screws, standard duty pivot clamps with two wheel rollers and single wheel bottom guide

Heavy Duty Wooden Sliding folding SF4

- Max 120 kg/System
- 30 - 34mm Shutter Thickness
- Heavy duty bearing Four Rollers / Clamp
- Butt Hinges (Optional) Ref: Spec
- Heavy duty Track
- Bottom Channel (Optional)
- Hook Lock for Wooden Sliding (Optional)
- Handle (Optional)




Ordering Code : XL-C 7015 3M-SFW120

Reference Code : 9137561

Kit contains 4 mtr track with screws, heavy duty pivot clamps with four wheel rollers and single wheel bottom guide

**Sliding / Folding
Wooden Door
Application**



Features*

- Max height Upto 3Mtrs
- Max weight of 100kg/panel
- Max width of 1000mm/panel
- 10mm/12mm Glass Thickness
- Floor Mounting EPC Lock
- Floor / Side Mounting Bolt
- Provision with options for parking panels

* Product on RFQ basis


Ordering Code : XL-C 7016 HSW Mid Range

Ref. Code : 9137557


HSW

(Horizontal Sliding Wall)


"Zero" Parking




Parallel Parking




Perpendicular Parking



135° Parking







Features (FSW)*

- Max height Upto 2.6Mtrs
- Max weight of 70kg/panel
- Max width of 750mm/panel
- Max no. of 6 panels in a line
- Max 10mm Glass Thickness
- Hinged Top/Bottom door rails
- Floor Mounting EPC Lock
- Floor Mounting Bolt

FSW - C



FSW - G




* Product on RFQ basis

Ordering Code : XL-C 7017 FSW Mid Range

Ref. Code : 9137558


FSW
(Folding Sliding Wall)



Flush Pull - Satin Finish

Ordering Code : XL-C 7018


Reference Code : 9138056



Hook Lock for Glass Sliding
Glass / Wall or Wood

Ordering Code : XL-C 7020


Reference Code : 9138057



Hook Lock for Wooden Sliding
Wood to Wood / Wall

Ordering Code : XL-C 7020

Reference Code : 9138058





Hook Lock for Glass Sliding
Glass to Glass

Ordering Code : XL-C 7121

Reference Code : 9138059

**Accessories
for
Sliding Systems**



Automatic sliding door operator.

Standard Application :

- Single Panel Sliding Door
- Double Panel Sliding Door (Bi-Parting)

- A. Clear Passage Width : a. Single panel sliding : Min. 700 mm – Max. 1200 mm
b. Double panel sliding: Min. 800 mm – Max 2000 mm
- C. Clear Passage Height : 2100 mm
- D. Door Weight : a. Single panel Sliding = 1 x 100 Kgs
b. Double panel Sliding = 2 x 85 Kgs


Activator options:

- Radar Sensor
- Pushbutton
- Hand-held transmitter / Receiver (Remote Control)

Ordering Code : XL-C 4100

Reference Code : 9103426

**Automatic
Sliding Door
Operator (CS 85)
- 4150 mm**

**Electro-mechanical automatic swing door operator.**

Door panel width : ≤ 1100 mm

Door panel

Weight : 80 Kg Maximum
(depending Upon
Door panel Width)

Opening angle : 100 deg Maximum

Program Option : Off, Power Motion,
Permanent Open


Activator options:

- Pushbutton
- Hand-held transmitter
- Receiver for hand-held transmitter

Ordering Code : XL-C 4300

Reference Code : 9103428


**Automatic
Swing Door
Operator
(PORTEO)**



Four Arm Facade Fin Bracket

Ordering Code : XL-C 6007


Reference Code : 9138059



Two Arm Facade Fin Bracket

Ordering Code : XL-C 6006


Reference Code : 9138060



Two Arm Facade Wall Bracket

Ordering Code : XL-C 6005

Reference Code : 9140472




Single arm Fin type spider

Ordering Code : XL-C 6004

Reference Code : 9138061


**KONNECT
(Level-II
Spider Fittings)**



Four arm elliptical spider

Ordering Code : XL-C 6003

Reference Code : 9140470



Two arm elliptical spider

Ordering Code : XL-C 6002


Reference Code : 9140469



Single arm elliptical spider

Ordering Code : XL-C 6001


Reference Code : 9140468



Fixed Bolt

Ordering Code : XL-C 6008

Reference Code : 9138062



Articulated Bolt

Ordering Code : XL-C 6009

Reference Code : 9138063

**KONNECT
(Level-II
Spider Fittings)**

NOTES

Contact :
Authorised DORMA Channel Distribution Centre

DORMA **XL - C** TM